

Artikelbeschreibung/Produktabbildungen



Beschreibung

Werkstoff:

Kurbelkörper Temperguss oder Sphäroguss.


Ausführung:


gestrahlt.

© norelem www.norelem.com



Zeichnungen





Artikelübersicht

Bestellnummer	Form	А	D1	Н	H1	H2	Н3	SW	Durchmesser Ballengriff
06480-106X10	F	63	20	92	52	20	40	10+0,2	16
06480-108X10	F	80	24	109	65	24	44	10+0,2	20
06480-108X12	F	80	24	109	65	24	44	12+0,2	20
06480-110X12	F	100	28	120	65	28	55	12+0,2	20
06480-110X14	F	100	28	120	65	28	55	14+0,3	20
06480-112X14	F	125	34	141	83	34	58	14+0,3	25
06480-112X17	F	125	34	141	83	34	58	17+0,3	25
06480-116X17	F	160	37	153	83	38	70	17+0,3	25

06480_F Handkurbeln gekröpft ähnlich DIN 468, Form F, mit festem Ballengriff



Artikelübersicht

Bestellnummer	Form	А	D1	Н	H1	H2	НЗ	SW	Durchmesser Ballengriff
06480-116X19	F	160	37	153	83	38	70	19+0,3	25
06480-120X19	F	200	40	189	105	44	84	19+0,3	32
06480-120X22	F	200	40	189	105	44	84	22+0,3	32

© norelem www.norelem.com 3/3