



FEDERATION EUROPEENNE DES
FABRICANTS DE PRODUITS
ABRASIFS

metabo[®]

Product name
Grinding wheel
EC-Material Safety Data Sheet
version/date: 05.11.08
page 1 of 4

MATERIAL SAFETY DATA SHEET FOR ORGANIC BONDED ABRASIVES
-Formatted by FEPA as per EC Directive 91/155/EG and ISO Standard 11014 - 1

1. Identification of Product and Company:

Product Name:

Grinding wheels 230 x 6 x 22,2 A24TBF Order No. 6.16279

Application

Organic bonded abrasives for grinding of different materials.

Company identification:

Company: Metabowerke GmbH

Address: Metabo-Allee 1 Telefon: 0049 7022 72 2401

D-72622 Nürtingen Fax: 0049 7022 72 2897

E-mail: HStreicher@metabo.de

2. Composition/Information on Ingredients

The product contains the following marking required ingredients as per 67/548 EEC and 99/45 EC

	Name	CAS	EG Nr. (ELINCS/EINECS)	Concentration area	Classifi- cation	R-Phrases
	Kryolit	15096-52-3	237-410-6	6 – 8 %	T, N, Xn	20/22/23/25/48/51/53
	x	x	x	x	x	x
	x	x	x	x	x	x

3. Hazards Identification

Not applicable

Abrasives are not dangerous substances or preparations as defined in EC directive N° 99/45.
See also section 8 and 16.

4. First Aid Measures

See also section 8 and 16

Inhalation: not possible, due to the form of the product

Eye contact: not possible, due to the form of the product

Skin contact: no harmful effects known

Ingestion: not likely, due to the form of the product

5. Fire Fighting Measures



FEDERATION EUROPEENNE DES
FABRICANTS DE PRODUITS
ABRASIFS

metabo[®]

Product name
Grinding wheel
EC-Material Safety Data Sheet
version/date: 05.11.08
page 2 of 4

Toxic fumes may occur. Use respiratory protective equipment.

Extinguishing Media: water, foam, sand, powder or CO₂ as appropriate for surrounding materials

6. Accidental release measures

Not applicable.

7. Handling and Storage

Follow instructions and the relevant national regulations. In addition, observe the safety recommendations of the manufacturer.

8. Exposure Controls / Personal Protection

Before grinding, risk assessment should be performed and individual personal protection measures adopted accordingly.

8.1. Exposure limits

Keep limits of the following components under surveillance

(Observe the regional official regulations for dust)

	Trisodium Hexafluoroaluminate	15096-52-3	x	TLV (ACGIH-USA) 2001 TWA=2,5 mg/m ³ (Fluorides, aSF)
	x	x	x	x
	x	x	x	x
	x	x	x	x

Note: Hazardous dust of workpiece material may be generated during grinding and/or sanding operations.

8.2. Exposure control and limitations

8.2.1. Exposure control and limitations of the work environment

Observe the regional official regulations for dust

8.2.1.1. Respiratory protection: Use respiratory equipment

(type depends on specific application and material being ground)

8.2.1.2. Hand protection: Wear protective gloves

(type depends on specific application and material being ground)

8.2.1.3. Eye protection: Wear protective goggles or face shield

(type depends on specific application and material being ground)

8.2.1.4. Hearing protection: Use hearing protection

(type depends on specific application and material being ground)

 FEDERATION EUROPEENNE DES FABRICANTS DE PRODUITS ABRASIFS		Product name Grinding wheel EC-Material Safety Data Sheet version/date: 05.11.08 page 3 of 4
8.2.1.5. Body protection: Use protective clothing (type depends on specific application and material being ground)		
9. Physical and Chemical Properties 9.1 Physical state: solid 9.2 Colour: depending of product type 9.3 Solubility in water: not indicated		
10. Stability and Reactivity Stability Bonded Abrasives are stable when handled or stored Reactivity 10.1 Conditions to avoid: No decomposition in normal storage. 10.2 Materials to avoid: No dangerous reactions known. 10.3 Hazardous decomposition products: At temperatures exceeding 250° C hazardous or toxic decomposition products may be generated		
11. Toxicological Information No toxicological effects if inhaled or swallowed or with eye or skin contact are known. See also section 8.		
12. Ecological Information 12.1 Ecotoxicity: no effects known 12.2 Mobility: no potentials known 12.3 Persistence and degradability: no biodegradable potentials known 12.4 Bioaccumulative potential: no potentials known 12.5 Other hazardous effects: no effects known		
13. Disposal Considerations 13.1. Product Follow national and regional regulations! x Due to the ingredients (sum concentration under the limit) disposal as non hazardous waste (2000/532/EC) is possible if no hazardous materials are added to the abrasives. (EWC – Nr. 120121), 0 Due to the ingredients (sum concentration above the limit) disposal as hazardous waste (2000/532/EC) (EWC – Nr. 120120)		

 FEDERATION EUROPEENNE DES FABRICANTS DE PRODUITS ABRASIFS		Product name Grinding wheel EC-Material Safety Data Sheet version/date: 05.11.08 page 4 of 4
13.2. Packing Follow national and regional regulations!		
14. Transport Information The product is not covered by international regulation on the transport of dangerous goods.		
15. Regulatory Information No specific marking requirements under respective EC directives		
16. Other Information R36 irritating to eyes. R37 irritating to respiratory system. R38 irritating to skin. Under paragraph 2 of this material safety data sheet, only that substances/ingredients of the abrasive are listed, where a marking as per 67/548 EEC and 99/45 EC is required. The listing can be completed either by marking the substance or by deleting of the ingredients, which are not in use. Substances, that are not on the list, but in use in the abrasive and where a marking as per 67/548 EEC and 99/45 EC is required, have to be added in the table. A material safety data sheet is legally compliant only, if the issuer prepares/adds individual data. The above information is based on our current standard of knowledge and does not constitute any warranty of conditions of the product. The information does not form part of any contractual agreement. It remains the user's responsibility to adhere existing laws and regulations. Issued by: FS-QK Contact: Harald Streicher		