

# metabo

Product name Grinding wheel EC-Material Safety Data Sheet version/date: 26.02.10 page 1 of 4

# MATERIAL SAFETY DATA SHEET FOR ORGANIC BONDED ABRASIVES

-Formatted by FEPA as per EC Directive 91/155/EG and ISO Standard 11014 - 1

# 1. Identification of Product and Company:

**Product Name:** 

Grinding wheels 125 x 6 x 22,2 A24BF 6.16462

Order No.

**Application** 

Organic bonded abrasives for grinding of different materials.

**Company identification:** 

Company: **METABO** 

Address: Telefon: 0 70 22 72 24 01

Fax:

E-mail: hstreicher@metabo.de

## 2. Composition/Information on Ingredients

The product contains the following marking required ingredients as per 67/548 EEC and 99/45 EC

Name	CAS	EG Nr. (ELINCS/EINECS)	Concentration area	Classifi- cation	R-Phrases
Kryolit	15096-52-3	237-410-6	6 – 8 %	T, N, Xn	20/22/23/25/48/51/53
х	х	х	x	х	х
х	х	х	х	х	х

### 3. Hazards Identification

Not applicable

Abrasives are not dangerous substances or preparations as defined in EC directive  $N^{\circ}$  99/45. See also section 8 and 16.

#### 4. First Aid Measures

See also section 8 and 16

Inhalation: not possible, due to the form of the product Eye contact: not possible, due to the form of the product

Skin contact: no harmful effects known

Ingestion: not likely, due to the form of the product

## 5. Fire Fighting Measures



# metabo

Product name Grinding wheel EC-Material Safety Data Sheet version/date: 26.02.10 page 2 of 4

Toxic fumes may occur. Use respiratory protective equipment.

Extinguishing Media: water, foam, sand, powder or CO<sub>2</sub> as appropriate for surrounding materials

#### 6. Accidental release measures

Not applicable.

# 7. Handling and Storage

Follow instructions and the relevant national regulations. In addition, observe the safety recommendations of the manufacturer.

### 8. Exposure Controls / Personal Protection

Before grinding, risk assessment should be performed andindividual personal protection measures adopted accordingly.

## 8.1. Exposure limits

Keep limits of the following components under surveillance

(Observe the regional official regulations for dust)

Control and regional entreion regional article			7		
	Trisodium	15096-52-3	х	TLV (ACGIH-USA) 2001 TWA=2,5 mg/m <sup>3</sup>	
	Hexafluoroaluminate			(Flourides, aSF)	
	x	х	х	х	
	x	х	х	х	
	x	х	х	х	

Note: Hazardous dust of workpiece material may be generated during grinding and/or sanding operations.

- 8.2. Exposure control and limitations
- 8.2.1. Exposure control and limitations of the work environment Observe the regional official regulations for dust
- 8.2.1.1. Respiratory protection: Use respiratory equipment

(type depends on specific application and material being

ground) 8.2.1.2. Hand protection: Wear protective gloves

(type depends on specific application and material being

ground)

8.2.1.3. Eye protection: Wear protective goggles or face shield

(type depends on specific application and material being

ground)

8.2.1.4. Hearing protection: Use hearing protection

(type depends on specific application and material being

ground)



# metabo

Product name Grinding wheel EC-Material Safety Data Sheet version/date: 26.02.10 page 3 of 4

8.2.1.5. Body protection: Use protective clothing

(type depends on specific application and material being ground)

## 9. Physical and Chemical Properties

9.1 Physical state: solid

9.2 Colour: depending of product type

9.3 Solubility in water: not indicated

## 10. Stability and Reactivity

Stability

Bonded Abrasives are stable when handled or stored

#### Reactivity

10.1 Conditions to avoid:

No decomposition in normal storage.

10.2 Materials to avoid:

No dangerous reactions known.

10.3 Hazardous decomposition products:

At temperatures exceeding 250° C hazardous or toxic decomposition products my be generated

#### 11. Toxicological Information

No toxicological effects if inhaled or swallowed or with eye or skin contact are known. See also section 8.

#### **12. Ecological Information**

12.1 Ecotoxicity: no effects known 12.2 Mobility: no potentials known

12.3 Persistence and degradability: no biodegradable potentials known

12.4 Bioaccumulative potential: no potentials known 12.5 Other hazardous effects: no effects known

#### 13. Disposal Considerations

#### 13.1. Product

Follow national and regional regulations!

Due to the ingredients (sum concentration under the limit) disposal as non hazardous waste (2000/532/EC) is possible if no hazardous materials are added to the abrasives. (EWC – Nr. 120121),

O Due to the ingredients (sum concentration above the limit) disposal as hazardous waste (2000/532/EC)

(EWC - Nr. 120120)



# metabo

Product name Grinding wheel EC-Material Safety Data Sheet version/date: 26.02.10 page 4 of 4

13.2. Packing

Follow national and regional regulations!

### 14. Transport Information

The product is not covered by international regulation on the transport of dangerous goods.

## **15. Regulatory Information**

No specific marking requirements under respective EC directives

#### 16. Other Information

R36 irritating to eyes. R37 irritating to respiratory system. R38 irritating to skin.

Under paragraph 2 of this material safety data sheet, only that substances/ingredients of the abrasive are listed, where a marking as per 67/548 EEC and 99/45 EC is required. The listing can be completed either by marking the substance or by deleting of the ingredients, which are not in use. Substances, that are not on the list, but in use in the abrasive and where a marking as per 67/548 EEC and 99/45 EC is required, have to be added in the table.

A material safety data sheet is legally compliant only, if the issuer prepares/adds individual data.

The above information is based on our current standard of knowledge and does not constitute any warranty of conditions of the product. The information does not form part of any contractual agreement. It remains the user's responsibility to adhere existing laws and regulations.

Issued by: FS-QK

Contact: Harald Streicher